


GS 超硬長頸球型端銑刀



LIST9418

商品記号	外径 D	球端 半径 R	刃長 φ L1	頸 下長 L1	全長 L	柄 徑 d	刃 数	在庫
GSBN200100054	0.2	0.1	0.2	0.5	45	4	2	●
GSBN200100104	0.2	0.1	0.2	1	45	4	2	●
GSBN200100154	0.2	0.1	0.2	1.5	45	4	2	●
GSBN200100204	0.2	0.1	0.2	2	45	4	2	●
GSBN200100254	0.2	0.1	0.2	2.5	45	4	2	●
GSBN200100304	0.2	0.1	0.2	3	45	4	2	●
GSBN200100056	0.2	0.1	0.2	0.5	50	6	2	●
GSBN200100106	0.2	0.1	0.2	1	50	6	2	●
GSBN200100156	0.2	0.1	0.2	1.5	50	6	2	●
GSBN200100206	0.2	0.1	0.2	2	50	6	2	●
GSBN200150104	0.3	0.15	0.3	1	45	4	2	●
GSBN200150154	0.3	0.15	0.3	1.5	45	4	2	●
GSBN200150204	0.3	0.15	0.3	2	45	4	2	●
GSBN200150254	0.3	0.15	0.3	2.5	45	4	2	●
GSBN200150304	0.3	0.15	0.3	3	45	4	2	●
GSBN200150106	0.3	0.15	0.3	1	50	6	2	●
GSBN200150156	0.3	0.15	0.3	1.5	50	6	2	●
GSBN200150206	0.3	0.15	0.3	2	50	6	2	●
GSBN200200104	0.4	0.2	0.4	1	45	4	2	●
GSBN200200154	0.4	0.2	0.4	1.5	45	4	2	●
GSBN200200204	0.4	0.2	0.4	2	45	4	2	●
GSBN200200254	0.4	0.2	0.4	2.5	45	4	2	●
GSBN200200304	0.4	0.2	0.4	3	45	4	2	●
GSBN200200404	0.4	0.2	0.4	4	45	4	2	●
GSBN200200504	0.4	0.2	0.4	5	45	4	2	●

商品記号	外径 D	球端 半径 R	刃長 φ L1	頸 下長 L1	全長 L	柄 徑 d	刃 数	在庫
GSBN200501206	1.0	0.5	1.5	12	50	6	2	●
GSBN200501804	1.0	0.5	1.5	18	55	4	2	●
GSBN200502004	1.0	0.5	1.5	20	55	4	2	●
GSBN200502204	1.0	0.5	1.5	22	60	4	2	●
GSBN200501406	1.0	0.5	1.5	14	60	6	2	●
GSBN200501606	1.0	0.5	1.5	16	60	6	2	●
GSBN200501806	1.0	0.5	1.5	18	60	6	2	●
GSBN200502006	1.0	0.5	1.5	20	60	6	2	●
GSBN200502206	1.0	0.5	1.5	22	60	6	2	●
GSBN200600604	1.2	0.6	1.6	6	45	4	2	●
GSBN200600804	1.2	0.6	1.6	8	45	4	2	●
GSBN200601004	1.2	0.6	1.6	10	45	4	2	●
GSBN200601204	1.2	0.6	1.6	12	45	4	2	●
GSBN200601604	1.2	0.6	1.6	16	50	4	2	●
GSBN200600606	1.2	0.6	1.6	6	50	6	2	●
GSBN200600806	1.2	0.6	1.6	8	50	6	2	●
GSBN200601006	1.2	0.6	1.6	10	50	6	2	●
GSBN200601206	1.2	0.6	1.6	12	50	6	2	●
GSBN200601606	1.2	0.6	1.6	16	60	6	2	●
GSBN200700804	1.4	0.7	1.7	8	45	4	2	●
GSBN200701204	1.4	0.7	1.7	12	45	4	2	●
GSBN200701604	1.4	0.7	1.7	16	50	4	2	●
GSBN200750804	1.5	0.75	1.8	8	45	4	2	●
GSBN200751004	1.5	0.75	1.8	10	45	4	2	●
GSBN200751204	1.5	0.75	1.8	12	45	4	2	●

GSBN200200106	0.4	0.2	0.4	1	50	6	2	●
GSBN200200156	0.4	0.2	0.4	1.5	50	6	2	●
GSBN200200206	0.4	0.2	0.4	2	50	6	2	●
GSBN200200256	0.4	0.2	0.4	2.5	50	6	2	●
GSBN200200306	0.4	0.2	0.4	3	50	6	2	●
GSBN200250154	0.5	0.25	0.5	1.5	45	4	2	●
GSBN200250204	0.5	0.25	0.5	2	45	4	2	●
GSBN200250304	0.5	0.25	0.5	3	45	4	2	●
GSBN200250404	0.5	0.25	0.5	4	45	4	2	●
GSBN200250504	0.5	0.25	0.5	5	45	4	2	●
GSBN200250604	0.5	0.25	0.5	6	45	4	2	●
GSBN200250804	0.5	0.25	0.5	8	45	4	2	●
GSBN200250156	0.5	0.25	0.5	1.5	50	6	2	●
GSBN200250206	0.5	0.25	0.5	2	50	6	2	●
GSBN200250306	0.5	0.25	0.5	3	50	6	2	●
GSBN200250406	0.5	0.25	0.5	4	50	6	2	●
GSBN200250506	0.5	0.25	0.5	5	50	6	2	●
GSBN200250606	0.5	0.25	0.5	6	50	6	2	●
GSBN200250806	0.5	0.25	0.5	8	50	6	2	●
GSBN200300204	0.6	0.3	0.6	2	45	4	2	●
GSBN200300304	0.6	0.3	0.6	3	45	4	2	●
GSBN200300404	0.6	0.3	0.6	4	45	4	2	●
GSBN200300504	0.6	0.3	0.6	5	45	4	2	●
GSBN200300604	0.6	0.3	0.6	6	45	4	2	●
GSBN200300704	0.6	0.3	0.6	7	45	4	2	●
GSBN200300804	0.6	0.3	0.6	8	45	4	2	●
GSBN200301004	0.6	0.3	0.6	10	45	4	2	●
GSBN200300206	0.6	0.3	0.6	2	50	6	2	●
GSBN200300306	0.6	0.3	0.6	3	50	6	2	●
GSBN200300406	0.6	0.3	0.6	4	50	6	2	●
GSBN200300506	0.6	0.3	0.6	5	50	6	2	●
GSBN200300606	0.6	0.3	0.6	6	50	6	2	●
GSBN200300806	0.6	0.3	0.6	8	50	6	2	●
GSBN200301006	0.6	0.3	0.6	10	50	6	2	●
GSBN200400204	0.8	0.4	1.4	2	45	4	2	●
GSBN200400304	0.8	0.4	1.4	3	45	4	2	●
GSBN200400404	0.8	0.4	1.4	4	45	4	2	●
GSBN200400504	0.8	0.4	1.4	5	45	4	2	●

GSBN200751404	1.5	0.75	1.8	14	50	4	2	●
GSBN200751604	1.5	0.75	1.8	16	50	4	2	●
GSBN200750806	1.5	0.75	1.8	8	50	6	2	●
GSBN200751006	1.5	0.75	1.8	10	50	6	2	●
GSBN200751206	1.5	0.75	1.8	12	50	6	2	●
GSBN200751804	1.5	0.75	1.8	18	55	4	2	●
GSBN200752004	1.5	0.75	1.8	20	55	4	2	●
GSBN200751606	1.5	0.75	1.8	16	60	6	2	●
GSBN200752006	1.5	0.75	1.8	20	60	6	2	●
GSBN200800804	1.6	0.8	1.8	8	45	4	2	●
GSBN200801204	1.6	0.8	1.8	12	45	4	2	●
GSBN200801604	1.6	0.8	1.8	16	50	4	2	●
GSBN200802004	1.6	0.8	1.8	20	55	4	2	●
GSBN200900804	1.8	0.9	1.9	8	45	4	2	●
GSBN200901204	1.8	0.9	1.9	12	45	4	2	●
GSBN200901604	1.8	0.9	1.9	16	50	4	2	●
GSBN200902004	1.8	0.9	1.9	20	55	4	2	●
GSBN201000404	2.0	1	2	4	45	4	2	●
GSBN201000604	2.0	1	2	6	45	4	2	●
GSBN201000804	2.0	1	2	8	45	4	2	●
GSBN201001004	2.0	1	2	10	45	4	2	●
GSBN201001204	2.0	1	2	12	45	4	2	●
GSBN201001404	2.0	1	2	14	50	4	2	●
GSBN201001604	2.0	1	2	16	50	4	2	●
GSBN201000406	2.0	1	2	4	50	6	2	●
GSBN201000606	2.0	1	2	6	50	6	2	●
GSBN201000806	2.0	1	2	8	50	6	2	●
GSBN201001006	2.0	1	2	10	50	6	2	●
GSBN201001206	2.0	1	2	12	50	6	2	●
GSBN201001804	2.0	1	2	18	55	4	2	●
GSBN201002004	2.0	1	2	20	55	4	2	●
GSBN201002204	2.0	1	2	22	60	4	2	●
GSBN201001406	2.0	1	2	14	60	6	2	●
GSBN201001606	2.0	1	2	16	60	6	2	●
GSBN201001806	2.0	1	2	18	60	6	2	●
GSBN201002006	2.0	1	2	20	60	6	2	●
GSBN201002206	2.0	1	2	22	60	6	2	●
GSBN201002504	2.0	1	2	25	65	4	2	●

GSBN200400604	0.8	0.4	1.4	6	45	4	2	●
GSBN200400704	0.8	0.4	1.4	7	45	4	2	●
GSBN200400804	0.8	0.4	1.4	8	45	4	2	●
GSBN200401004	0.8	0.4	1.4	10	45	4	2	●
GSBN200400206	0.8	0.4	1.4	2	50	6	2	●
GSBN200400306	0.8	0.4	1.4	3	50	6	2	●
GSBN200400406	0.8	0.4	1.4	4	50	6	2	●
GSBN200400506	0.8	0.4	1.4	5	50	6	2	●
GSBN200400606	0.8	0.4	1.4	6	50	6	2	●
GSBN200400806	0.8	0.4	1.4	8	50	6	2	●
GSBN200401006	0.8	0.4	1.4	10	50	6	2	●
GSBN200500304	1.0	0.5	1.5	3	45	4	2	●
GSBN200500404	1.0	0.5	1.5	4	45	4	2	●
GSBN200500504	1.0	0.5	1.5	5	45	4	2	●
GSBN200500604	1.0	0.5	1.5	6	45	4	2	●
GSBN200500704	1.0	0.5	1.5	7	45	4	2	●
GSBN200500804	1.0	0.5	1.5	8	45	4	2	●
GSBN200500904	1.0	0.5	1.5	9	45	4	2	●
GSBN200501004	1.0	0.5	1.5	10	45	4	2	●
GSBN200501204	1.0	0.5	1.5	12	45	4	2	●
GSBN200501404	1.0	0.5	1.5	14	50	4	2	●
GSBN200501604	1.0	0.5	1.5	16	50	4	2	●
GSBN200500306	1.0	0.5	1.5	3	50	6	2	●
GSBN200500406	1.0	0.5	1.5	4	50	6	2	●
GSBN200500506	1.0	0.5	1.5	5	50	6	2	●
GSBN200500606	1.0	0.5	1.5	6	50	6	2	●
GSBN200500806	1.0	0.5	1.5	8	50	6	2	●
GSBN200501006	1.0	0.5	1.5	10	50	6	2	●

GSBN201002506	2.0	1	2	25	65	6	2	●
GSBN201003004	2.0	1	2	30	70	4	2	●
GSBN201003006	2.0	1	2	30	70	6	2	●
GSBN201003506	2.0	1	2	35	80	6	2	●
GSBN201500806	3.0	1.5	2.5	8	60	6	2	●
GSBN201501006	3.0	1.5	2.5	10	60	6	2	●
GSBN201501206	3.0	1.5	2.5	12	60	6	2	●
GSBN201501606	3.0	1.5	2.5	16	60	6	2	●
GSBN201502006	3.0	1.5	2.5	20	65	6	2	●
GSBN201502506	3.0	1.5	2.5	25	65	6	2	●
GSBN201503006	3.0	1.5	2.5	30	70	6	2	●
GSBN201503506	3.0	1.5	2.5	35	80	6	2	●
GSBN202001006	4.0	2	3	10	65	6	2	●
GSBN202001206	4.0	2	3	12	65	6	2	●
GSBN202001606	4.0	2	3	16	65	6	2	●
GSBN202002006	4.0	2	3	20	65	6	2	●
GSBN202002506	4.0	2	3	25	70	6	2	●
GSBN202003006	4.0	2	3	30	70	6	2	●
GSBN202003506	4.0	2	3	35	80	6	2	●
GSBN202004006	4.0	2	3	40	85	6	2	●
GSBN202004506	4.0	2	3	45	90	6	2	●
GSBN202005006	4.0	2	3	50	100	6	2	●
GSBN202502006	5.0	2.5	3.5	20	70	6	2	●
GSBN202502506	5.0	2.5	3.5	25	70	6	2	●
GSBN202503006	5.0	2.5	3.5	30	80	6	2	●
GSBN202503506	5.0	2.5	3.5	35	80	6	2	●
GSBN203003006	6.0	3	6	30	80	6	2	●
GSBN203005006	6.0	3	6	50	120	6	2	●

被削材

一般構造圧延鋼	◎	高硬度鋼 45-55HRC	◎	鑄鐵
炭素鋼	◎	高硬度鋼 55-60HRC	○	鋁合金
合金鋼	◎	高硬度鋼 60-66HRC		銅合金
預硬鋼	◎	不銹鋼 SUS304,316	◎	石墨
調質鋼・模具鋼	◎	鈦合金・耐熱合金		